


DAILY MAGNETOGRAMS FOR 1983 FROM THE AFGL (AIR FORCE  
GEOPHYSICS LABORATORY) NETWORK(U) AIR FORCE GEOPHYSICS  
LAB HANSCOM AFB MA D J KNECHT 21 MAR 85 F/G 8/14  
AFGL-TR-85-0032

UNCLASSIFIED

NL

[illegible]



MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS 1963-A

AD-A173 765

AFGL-TR-85-0032  
SPECIAL REPORTS, NO. 248

Daily Magnetograms for 1983  
From the AFGL Network


DAVID J. KNECHT



21 March 1985



Approved for public release; distribution unlimited.



SPACE PHYSICS DIVISION

PROJECT 7601

**AIR FORCE GEOPHYSICS LABORATORY**


HANSCOM AFB, MA 01731

DTIC FILE COPY

6 10 00 049

"This technical report has been reviewed and is approved for publication"

FOR THE COMMANDER

  
WILLIAM J. BURKE, Chief  
Space Plasmas and Fields Branch

  
RITA C. SAGALYN, Director  
Space Physics Division

This document has been reviewed by the ESD Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS).

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or if you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify AFGL/DAA, Hanscom AFB, MA 01731. This will assist us in maintaining a current mailing list.



## **DISCLAIMER NOTICE**

**THIS DOCUMENT IS BEST QUALITY  
PRACTICABLE. THE COPY FURNISHED  
TO DTIC CONTAINED A SIGNIFICANT  
NUMBER OF PAGES WHICH DO NOT  
REPRODUCE LEGIBLY.**

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

AD-A173 765

## REPORT DOCUMENTATION PAGE


1a REPORT SECURITY CLASSIFICATION Unclassified			1b RESTRICTIVE MARKINGS			
2a SECURITY CLASSIFICATION AUTHORITY			3 DISTRIBUTION/AVAILABILITY OF REPORT  Approved for public release; distribution unlimited.			
2b DECLASSIFICATION/DOWNGRADING SCHEDULE						
4 PERFORMING ORGANIZATION REPORT NUMBER(S) SR, No. 248 AFGL-TR-85-0032			5 MONITORING ORGANIZATION REPORT NUMBER(S)			
6a NAME OF PERFORMING ORGANIZATION Air Force Geophysics Laboratory		6b OFFICE SYMBOL (If applicable) PHG	7a NAME OF MONITORING ORGANIZATION			
6c ADDRESS (City, State and ZIP Code) Hanscom AFB Massachusetts 01731			7b ADDRESS (City, State and ZIP Code)			
8a NAME OF FUNDING/SPONSORING ORGANIZATION		8b OFFICE SYMBOL (If applicable)	9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER			
8c ADDRESS (City, State and ZIP Code)			10 SOURCE OF FUNDING NOS			
			PROGRAM ELEMENT NO	PROJECT NO	TASK NO	WORK UNIT NO
			62101F	7601	18	01
11 TITLE (Include Security Classification) Daily Magnetograms for 1983 From the AFGL Network						
12 PERSONAL AUTHOR(S) David J. Knecht						
13a TYPE OF REPORT Inhouse		13b TIME COVERED FROM TO		14 DATE OF REPORT (Yr., Mo., Day) 1985 March 21		15 PAGE COUNT 422
16 SUPPLEMENTARY NOTATION						
17 COSATI CODES			18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number)			
FIELD	GROUP	SUB GR				
8	14	2	Magnetograms Magnetic Storms Variations			
3	2	11	Magnetic field Substorms Geomagnetism			
19 ABSTRACT (Continue on reverse if necessary and identify by block number) A stacked plot of 24-hour magnetograms from the AFGL Magnetometer Network is presented for each UT day of the year 1983. Each plot, on a single page, contains all 21 traces from the fluxgate magnetometers of the network (three components at seven stations). The data plotted are 25-min averages of the 1-min edited data set that has been provided to the World Data Center. To aid in comparisons between days, the magnetograms are plotted with a fixed amplitude scale that preserves a resolution of one or two nanoteslas. For the ten percent of all days that are more active, the plots have been repeated at a reduced amplitude. These magnetograms serve to assess the general character of magnetic activity, identify events for scientific study, and indicate the coverage and quality of the data available from the World Data Center.						
20 DISTRIBUTION AVAILABILITY OF ABSTRACT UNCLASSIFIED UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT <input checked="" type="checkbox"/> DTIC USERS <input type="checkbox"/>				21 ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a NAME OF RESPONSIBLE INDIVIDUAL David J. Knecht			22b TELEPHONE NUMBER (Include Area Code) (617) 861-2422		22c OFFICE SYMBOL PHG	

DD FORM 1473, 83 APR

EDITION OF 1 JAN 73 IS OBSOLETE

Unclassified  
SECURITY CLASSIFICATION OF THIS PAGE

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/ _____	
Availability Codes	
Dist	Avail and/or Special
A-1	



## Preface

This volume of magnetograms from the AFGL Magnetometer Network is the last in a set of six yearly volumes covering the years 1978 through 1983. Descriptive material needed to explain the magnetograms is repeated so each volume can be used independently.

These volumes are dedicated to the memory of Robert W. Crowe, who as a high-school student, carried out much of the computer work that produced the edited data shown in these plots and who lost his life in October 1982 while the work was under way.

Many other persons have also contributed greatly to this effort. The project, which required reading more than 1200 input data tapes, writing more than 4500 edited-data tapes, and making and assembling more than 6500 separate plots for these volumes, was made possible by the dedicated efforts of a group of college and high-school students. Armand Paboojian supervised and personally undertook much of the production of the edited data base. Ric Laperriere, Stephen Morris, Catherine Whittaker, Glenn Ellis, and Ara Topjian also contributed many hours to this work. Fr. John F. Devane, S.J., directed the contractual effort of Boston College under which most of the students worked. Ric Laperriere carried out a large fraction of the production runs that produced the final plots. These generous contributions are gratefully acknowledged.

## Contents

1. INTRODUCTION	1
2. DESCRIPTION OF THE NETWORK	2
3. EDITING OF THE DATA	3
4. DESCRIPTION OF THE PLOTS	4
5. METHOD OF PRODUCING THE PLOTS	5
6. CAUTIONS ABOUT USE OF THE PLOTS	6
7. BASIC PLOTS AT STANDARD AMPLITUDE	7
8. SUPPLEMENTARY PLOTS AT REDUCED AMPLITUDE	373

## Illustrations

1. Map of the AFGL Magnetometer Network	2
365 Daily Magnetograms at Standard Amplitude	8 through 372
43 Daily Magnetograms at Reduced Amplitude	374 through 416

## Tables

1. Locations of the Data-Collection Stations	3
----------------------------------------------	---

## **Data, Magnetograms for 1983 From the AFGL Network**

### **1. INTRODUCTION**

From mid-1976 through 1983, the AFGL Magnetometer Network made continuous measurements of the surface magnetic field at seven stations spanning the contiguous United States. An edited data base has been produced for the period 1978-1983; it consists of three-component measurements of the field at the seven *network stations by fluxgate magnetometers sampled once per second*. A subset of these data, consisting of 1-min average values in the standard IMS format, is available to the scientific community through the World Data Center.

This report, one of a series of yearly volumes, presents the 1-min subset of data for the year 1983 in the form of stacked daily magnetograms, one day per page. The anticipated uses of these plots include; (1) discovering the overall pattern of magnetic activity across the United States for any day, (2) identifying events for scientific study, and (3) indicating the coverage and quality of the data available from the World Data Center.

For the basic set of 365 daily plots, the question of amplitude scale was resolved in favor of a constant value for all plots to facilitate comparison when scanning over many pages. However, for about ten percent of all days this choice causes traces to be offscale or confused, so for these days the plot is repeated on a less sensitive scale in a subsequent section of supplemental plots.

---

(Received for publication 19 March 1985)

## 2. DESCRIPTION OF THE NETWORK

The AFGI Magnetometer Network consisted of seven remote instrumented stations at the locations shown in Figure 1 and listed in Table 1. The five northern stations form a line at approximately 55 degrees cgm latitude, while the two southern stations are both at about 40 degrees cgm latitude.




Figure 1. Map of the AFGI Magnetometer Network

The instrumentation at all sites was essentially identical. The instrument which made the measurements presented here is a three-component fluxgate magnetometer built by the University of California at Los Angeles. (Data from a second instrument, an induction-coil magnetometer, is not discussed.) The fluxgate magnetometer has a basic analog (fine-scale) range of  $\pm 64$  to  $\pm 64$  nanoteslas; it is kept onscale by applying to the sensor a precise (coarse-scale) nulling field of an integral multiple of 64 nT to cover the full range of approximately  $\pm 65,000$  to  $\pm 65,000$  nT. The fine-scale output is digitized by an 11-bit analog-to-digital converter, with the least significant bit representing  $1/16$  nT. The instrument was sampled once per second.

Data from all stations were returned to a data-acquisition station at AFGI via a single dedicated voice-grade circuit made up largely of ordinary phone lines and

having a branch to each of the stations. A polling signal sent from the data-acquisition station synchronized all stations to within several milliseconds accuracy by incorporating compensation for propagation delays. Data collected at each station during any 10-sec sampling interval were transmitted in a block at some point during the next interval. A forward-error-correcting scheme was used to eliminate transmission errors. Data were received, compressed, formatted, and archived on magnetic tape by a dedicated minicomputer. Subsequently, several series of edited-data tapes were produced from the archive tapes, using the same minicomputer, as described in the following section.

Table 1. Locations of the Data-Collection Stations

Station Symbol and Name (post office)		Corrected Geomagnetic Coordinates		Geographic Coordinates		Government Installation
		N Lat	E Long	N Lat	E Long	
NEW	Newport WA	55.2	299.6	48.3	117.1	USGS Newport Observatory
RPC	Rapid City SD	54.1	317.3	44.2	103.1	Ellsworth Air Force Base
CDS	Camp Douglas WI	56.3	334.2	44.0	90.3	Volk Field (Natl. Guard Base)
MCL	Mount Clemens MI	55.8	344.8	42.6	82.9	Selfridge Air Natl. Guard Base
SUB	Sudbury MA	55.8	1.9	42.2	71.3	Army Natick Laboratory Annex
LOC	Lompoc CA	40.2	300.6	34.7	120.6	Vandenberg Air Force Base
TPA	Tampa FL	40.7	344.9	27.8	82.5	MacDill Air Force Base

### 3. EDITING OF THE DATA

The content of the archive data tapes is the series of successive data transmissions, recorded with minimal processing at the time of reception. These raw tapes are somewhat inconvenient for general use, since they reflect network malfunctions of many kinds, include other scientific and housekeeping data, and use a complex format for economy. An edited version, containing only the fluxgate measurements, was desired, and an automated procedure for processing these tapes was developed.

The editing process was designed to correct for a number of errors likely (and often known) to occur in the data because of various equipment malfunctions. The basis for detecting and assessing the errors was a set of redundancy and consistency checks built into or inherent in the data. The faults corrected (in most cases by

discarding the faulty data) included: (1) magnetometer outputs differing from a nominal quiet-time value by more than 2048 nT, (2) transmissions not confirmed to have come from the correct station, and (3) incorrect time values associated with transmissions. At the same time, the data were organized by time interval, station, and component, with missing data filled with blanks.

It may be noted that the faults addressed in editing are almost exclusively those of the collection and transmission system; the only criterion placed on the magnetometer output was that it be reasonably close to an expected value. One reason for this is that rigorous criteria for assessing the correctness of the magnetometer data are so lacking that an automated procedure is not possible. But another reason is that, for many purposes, the usefulness of the data is only slightly (or not at all) diminished by the most common malfunctions. Therefore, most failures experienced with the magnetometers are still reflected in the edited data. Since the stations were unattended, a number of days often elapsed before a malfunction was corrected, and caution is necessary in using these data. Some specific guidance is provided in Section 6 below.

#### 4. DESCRIPTION OF THE PLOTS

The basic set of plots is presented in Section 7. It includes, for each day in the year, daily magnetograms for all three components of the seven network stations, a total of 21 traces. These are grouped into three panels by component, in the order X, Y, Z from top to bottom of the page, where X is magnetic north, Y is magnetic east, and Z is vertically downward. This alignment was only approximate, and during the early years X and Y were often rotated slightly about Z to keep the Y component slightly positive. To facilitate comparisons between adjacent stations, the traces within each panel are further ordered by plotting the 55-degree stations first, west to east, followed by the two 40-degree stations, west to east.

For the basic set of plots a common fixed amplitude scale was selected for ease in comparing between days. The value 40 nT per major division was chosen because it kept about 90 percent of the plots onscale. A major division is the distance between the dotted baselines for adjacent traces. One minor division represents 10 nT, and a resolution of about one or two nT is preserved in the traces. For active days on which the traces go offscale or become confused by overlap, a supplementary set of plots, using a scale of 160 or 400 nT per major division is presented in Section 8. A small solid triangle following the date on the basic plot in Section 7 indicates that a supplementary plot has been provided.

Each trace is labeled at the left with a three-letter station code. Its absolute calibration is provided by the corresponding value (in nT) of the horizontal dotted baseline. This value, appearing just below the station code, is the 24-hour mean of



the data plotted, rounded to the nearest nanotesla. The station code and baseline value are omitted whenever all data points in a trace are blanks or, very rarely, when a badly malfunctioning trace has been eliminated to avoid obscuring good traces. The presence of the label usually (but not reliably) indicates that the trace is not completely blank.

The time scale covers the 24-hour UT day, with 1-hr and 10-min subdivisions. The edited data base consists of one value per minute (good datum or blank) for each of the 21 traces, but since this sampling rate exceeds the resolution possible on the page, 2-min averages were plotted instead. This results in 720 points per day, and since the full-scale length of the time axis is roughly 144 mm, the point-to-point spacing is about 0.2 mm (0.008 in.).

The date is printed at the lower left corner of each plot, first in the form day-of-month, month, year. It is repeated, in parentheses, in the form year (followed by a period) and day-of-year. As noted above, a solid triangle after the final parenthesis indicates the presence of a supplementary plot in Section 8.

### 5. METHOD OF PRODUCING THE PLOTS

The plots were generated by the network minicomputer (Varian model V72, vintage 1972) with 7-track tape units to read input data. The automated plot program was written in FORTRAN and incorporated Varian Dataplot software. The output device was a Tektronix type 4014 terminal equipped with a type 4631 hardcopy unit. With this equipment the plot is first drawn by an electron beam on the screen of the CRT (a storage device) and then copied to the hardcopy unit by a second beam which scans the screen; a third beam in the hardcopy unit writes the plot onto a dry-silver heat-developed paper. The three panels for each day of data were produced separately and then trimmed and taped together by hand, using overlapping registration marks for alignment. Since the image on the dry-silver paper deteriorates rapidly, the assembled plots were then copied, with a reduction to 74 percent of original size, on an IBM series III model 20 photocopier. These copies were furnished for the printer to use without further reduction.

The linearity and accuracy afforded by this method is sufficient for most purposes but does not equal that achievable by producing all three panels at once on a good electrostatic plotter and photoreducing the plots in the printshop. Some care may therefore be necessary in attempting precise measurements from these plots.

## 6. CAUTIONS ABOUT USE OF THE PLOTS


The following brief comment on some common faults in the data may be useful. Examples are given by a reference in parentheses to a plot which exhibits the particular fault described.


Two problems were caused by the plotting equipment: (1) some trace labels are occasionally shifted into the middle of a panel, to the right of their proper location (X traces, 19 May). This problem was ignored because it was not easy to cure and caused no serious harm. (2) The least significant digit of the baseline value for a trace is occasionally omitted (RPC-Z trace, 04 January). Since baseline values are all right-justified, the absence of the final digit can be seen, but the value will be uncertain by 5 nT. Again, the harm caused was not enough to justify the cost of solving it.




As noted earlier, data from malfunctioning magnetometers were not excluded unless they differed greatly from expected values. Usually, the integrity of the data can be adequately assessed by comparing any trace with those of adjacent stations and by observing its behavior over an extended interval. Five common malfunctions are these: (1) an instrument which does not change range properly may exhibit sudden positive or negative jumps of 64 nT, the amount of one coarse-scale step (CDS-Y trace, 11 February). (2) Some failures, such as a data-system bit that fails to turn on or off, cause smaller jumps (note the jumps of about 8 nT in the NEW-Z trace, 04-05 January and 27 March). (3) Some failures cause a trace to exhibit noise, which may be large (no examples in 1983) or small (NEW-X trace, 04-06 December). (4) Failure of the fine-scale output causes a trace to show no activity except an occasional range-change jump of 64 nT (MCL traces, 19 August through end of the year). (5) Failure of the temperature-compensating circuitry makes the output very dependent on electronics temperature; the trace will then reflect the regular cycles of the thermostatically controlled trailer temperature (TPA-Z trace, 04 June and continuing). (6) Other severe malfunctions can cause wild drifting (MCL-Y and MCL-Z traces, 09 February), large noise spikes (LOC-Y trace, 03 January), or bursts (LOC traces, 15 January and 12 June). All these faults can normally be detected in the context of the stacked plots.


## 7. BASIC PLOTS AT STANDARD AMPLITUDE




This section presents one stacked-magnetogram plot for each day of 1983, using the standard amplitude scale of 40 nT per major division.






































































FLUXGATE X COMPONENT

40 NANOTESLAS/MAJOR DIVISION




FLUXGATE Y COMPONENT

40 NANOTESLAS/MAJOR DIVISION





FLUXGATE Z COMPONENT

40 NANOTESLAS/MAJOR DIVISION







0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
19 JAN 83 (DAY 83.019) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK

























































































0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
10 FEB 83 (DAY 83.041) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK



























































0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
25 FEB 83 (DAY 83.056) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK































FLUXGATE X COMPONENT

40 NANOTESLAS/MAJOR DIVISION


NEW  
18191  
RPC  
18512  
CDS  
17174  
MCL  
18103  
SUB  
18723  
LOC  
24933



FLUXGATE Y COMPONENT

40 NANOTESLAS/MAJOR DIVISION


NEW  
-52  
RPC  
-60  
CDS  
-27  
MCL  
-139  
SUB  
126  
LOC  
6



FLUXGATE Z COMPONENT

40 NANOTESLAS/MAJOR DIVISION

NEW  
54459  
RPC  
54557  
CDS  
55272  
MCL  
54467  
SUB  
53197  
LOC  
42853



0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
08 MAR 83 (DAY 83.067) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK

FLUXGATE X COMPONENT

40 NANOTESLAS/MAJOR DIVISION

NEW  
18191  
RPC  
18512  
CDS  
17174  
MCL  
18103  
SUB  
18723  
LOC  
24933

FLUXGATE Y COMPONENT

40 NANOTESLAS/MAJOR DIVISION




NEW  
-52  
RPC  
-60  
CDS  
-27  
MCL  
-139  
SUB  
126  
LOC  
6

FLUXGATE Z COMPONENT




40 NANOTESLAS/MAJOR DIVISION




NEW  
54459  
RPC  
54557  
CDS  
55272  
MCL  
54467  
SUB  
53197  
LOC  
42853


0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
09 MAR 83 (DAY 83.068) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK
























































AD-A173 765


DAILY MAGNETOGRAMS FOR 1983 FROM THE AFGL (AIR FORCE  
GEOPHYSICS LABORATORY) NETWORK(U) AIR FORCE GEOPHYSICS  
LAB HANSCOM AFB MA D J KNECHT 21 MAR 85  
AFGL-TR-85-0032


2/5

UNCLASSIFIED

F/G 8/14




NL












MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS 1963 A














































FLUXGATE X COMPONENT

40 NANOTESLAS/MAJOR DIVISION




FLUXGATE Y COMPONENT


40 NANOTESLAS/MAJOR DIVISION






FLUXGATE Z COMPONENT


40 NANOTESLAS/MAJOR DIVISION
































































































































































































































































































































AD-A173 765

DAILY MAGNETOGRAMS FOR 1983 FROM THE AFGL (AIR FORCE  
GEOPHYSICS LABORATORY) NETWORK(U) AIR FORCE GEOPHYSICS  
LAB HANSCOM AFB MA D J KNECHT 21 MAR 85

3/5


UNCLASSIFIED

AFGL-TR-85-0032


F/G 8/14


NL


[illegible]





MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS 1963-A
























0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
04 JUL 83 (DAY 83.125) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK






















































FLUXGATE X COMPONENT

40 NANOTESLAS/MAJOR DIVISION




FLUXGATE Y COMPONENT

40 NANOTESLAS/MAJOR DIVISION






FLUXGATE Z COMPONENT


40 NANOTESLAS/MAJOR DIVISION









0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
20 JUL 83 (DAY 83.201) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK










































































0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
07 AUG 23 (DAY 83.219) UNIVERSAL TIME MAGNETIC FIELD IN NANOTESLAS


























0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
15 AUG 83 (DAY 83.227) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK



FLUXGATE X COMPONENT

40 NANOTESLAS/MAJOR DIVISION


NEW  
18246  
RPC  
18620  
CDS  
17235  
  
SUB  
18796  
LOC  
24935  
TPA  
25387



FLUXGATE Y COMPONENT

40 NANOTESLAS/MAJOR DIVISION


NEW  
-72  
RPC  
-98  
CDS  
-83  
  
SUB  
-99  
LOC  
-14  
TPA  
-39






FLUXGATE Z COMPONENT




40 NANOTESLAS/MAJOR DIVISION


NEW  
54411  
RPC  
54516  
CDS  
55225  
  
SUB  
53170  
LOC  
42852  
TPA  
42451




0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
17 AUG 83 (DAY 83.229) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK
















FLUXGATE X COMPONENT

40 NANOTESLAS/MAJOR DIVISION




FLUXGATE Y COMPONENT

40 NANOTESLAS/MAJOR DIVISION









FLUXGATE Z COMPONENT


40 NANOTESLAS/MAJOR DIVISION







0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
23 AUG 83 (DAY 83.235) ► UNIVERSAL TIME AFGL MAGNETOMETER NETWORK


























0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
23 AUG 83 (DAY 83.241) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK






















0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
03 SEP 83 (DAY 83.246) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK


























































0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
16 SEP 83 (DAY 23.259) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK

















0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
 20 SEP 23 (DAY 23.263) ► UNIVERSAL TIME AFGL MAGNETOMETER NETWORK





































AD-A173 765

DAILY MAGNETOGRAMS FOR 1983 FROM THE AFGL (AIR FORCE  
GEOPHYSICS LABORATORY) NETWORK(U) AIR FORCE GEOPHYSICS  
LAB HANSCOM AFB MA D J KNECHT 21 MAR 85


4/3


UNCLASSIFIED

AFGL-TR-85-0032


F/G 8/14


NL







MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A






















































































































FLUXGATE X COMPONENT

40 NANOTESLAS/MAJOR DIVISION


NEW  
18217  
RPC  
18539  
CDS  
17232  
MCL  
18123  
SUB  
18713  
LOC  
24905



FLUXGATE Y COMPONENT

40 NANOTESLAS/MAJOR DIVISION


NEW  
-57  
RPC  
-68  
CDS  
-53  
MCL  
-123  
SUB  
-114  
LOC  
15



FLUXGATE Z COMPONENT

40 NANOTESLAS/MAJOR DIVISION

NEW  
54325  
RPC  
54434  
CDS  
55126  
MCL  
54347  
SUB  
53144  
LOC  
42821




0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
06 NOV 23 (DAY 23.310) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK

# FLUXGATE X COMPONENT

40 NANOTESLAS/MAJOR DIVISION


NEW  
18217  
RPC  
18539  
CDS  
17232  
MCL  
18123  
SUB  
18713  
LOC  
24905



# FLUXGATE Y COMPONENT

40 NANOTESLAS/MAJOR DIVISION


NEW  
-57  
RPC  
-20  
CDS  
-53  
MCL  
-128  
SUB  
-114  
LOC  
15



# FLUXGATE Z COMPONENT

40 NANOTESLAS/MAJOR DIVISION

NEW  
54385  
RPC  
54484  
CDS  
55186  
MCL  
54347  
SUB  
53144  
LOC  
42621




0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 2400  
07 NOV 83 (DAY 83.311) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK



FLUXGATE X COMPONENT

40 NANOTESLAS/MAJOR DIVISION


NEW  
13135  
RPC  
18529  
CDS  
17193  
MCL  
18138  
SUB  
18724  
LOC  
24883



FLUXGATE Y COMPONENT

40 NANOTESLAS/MAJOR DIVISION


NEW  
-102  
RPC  
-109  
CDS  
-35  
MCL  
-192  
SUB  
-108  
LOC  
-30






FLUXGATE Z COMPONENT




40 NANOTESLAS/MAJOR DIVISION




NEW  
54375  
RPC  
54502  
CDS  
55106  
MCL  
54342  
SUB  
53161  
LOC  
42810




0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
02 NOV 83 (DAY 83.312) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK












0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
11 NOV 23 (DAY 23.315) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK




















FLUXGATE X COMPONENT

40 NANOTESLAS MAJOR DIVISION


NEU  
12192  
RPC  
18533  
CDS  
17201  
MCL  
18131  
SUB  
18709  
LOC  
24885



FLUXGATE Y COMPONENT

40 NANOTESLAS MAJOR DIVISION


NEU  
-26  
RPC  
-90  
CDS  
-53  
MCL  
-179  
SUB  
-104  
LOC  
-16




FLUXGATE Z COMPONENT




40 NANOTESLAS MAJOR DIVISION




NEU  
54390  
RPC  
54439  
CDS  
5513  
MCL  
54345  
SUB  
53156  
LOC  
42223



0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
12 NOV 83 (DAY 23.322) ► UNIVERSAL TIME AFGL MAGNETOMETER DELTA








0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
21 NOV 83 (DAY 23.325) UNIVERSAL TIME AFGL MAGNETOMETER RETURN

# FLUXGATE X COMPONENT

40 NANOTESLAS/MAJOR DIVISION


NEW  
18210  
RPC  
18547  
CDS  
17220  
MCL  
18127  
SUB  
18724  
LOC  
24886



# FLUXGATE Y COMPONENT

40 NANOTESLAS/MAJOR DIVISION


NEW  
-91  
RPC  
-52  
CDS  
-53  
MCL  
-190  
SUB  
-101  
LOC  
-17



# FLUXGATE Z COMPONENT

40 NANOTESLAS/MAJOR DIVISION

NEW  
54325  
RPC  
54432  
CDS  
55135  
MCL  
54346  
SUB  
53152  
LOC  
42211



0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 2400  
22 NOV 83 (DAY 23.326)


UNIVERSAL TIME

AFSL MAGNETOMETER NETWORK

FLIGHT Y COMPONENT

40 NANOTESLA/Major DIVISION


NEU  
18214  
RPC  
13549  
CDS  
17220  
MCL  
18164  
SUB  
18731  
LOC  
24291



FLIGHT Y COMPONENT

40 NANOTESLA/Major DIVISION


NEU  
-29  
RPC  
-54  
CDS  
-53  
MCL  
-140  
SUB  
-59  
LOC  
-19



FLIGHT Z COMPONENT

40 NANOTESLA/Major DIVISION

NEU  
54384  
RPC  
54457  
CDS  
55157  
MCL  
54346  
SUB  
51148  
LOC  
42208




0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
23 NOV 23 (DAY 23.327) UNIVERSAL TIME AFGL MAGNETOMETER (UTL-6)



FLUXGATE X COMPONENT

40 NANOTESLAS/MAJOR DIVISION


NEW  
18015  
RPC  
18549  
CDS  
17217  
MCL  
18176  
SUB  
18732  
LOC  
24985



FLUXGATE Y COMPONENT

40 NANOTESLAS/MAJOR DIVISION


NEW  
-21  
RPC  
-9  
CDS  
-60  
MCL  
-120  
SUB  
-100  
LOC  
-18




FLUXGATE Z COMPONENT




40 NANOTESLAS/MAJOR DIVISION


NEW  
54350  
RPC  
544-3  
CDS  
55150  
MCL  
54340  
SUB  
53147  
LOC  
42813





0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
24 NOV 83 (DAY 83.328) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK







































































































































## 8. SUPPLEMENTARY PLOTS AT REDUCED AMPLITUDE


This section presents a stacked-magnetogram plot for each of the following days of 1983, using an amplitude scale of 160 or 140 nT per major division:


January	10
February	04, 05, 06, 07, 16
March	02, 03, 12, 13, 20, 25, 28, 29, 31
April	13, 15, 16, 22, 24, 30
May	11, 12, 13, 14, 17, 22, 24
June	13, 18
July	17, 24
August	08, 23, 25, 26
September	19, 20
October	18
November	12, 17, 18
December	11














AD-A173 765

DAILY MAGNETOGRAMS FOR 1983 FROM THE AFGL (AIR FORCE  
GEOPHYSICS LABORATORY) NETWORK(U) AIR FORCE GEOPHYSICS  
LAB HANSCOM AFB MA D J KNECHT 21 MAR 85


5/5


UNCLASSIFIED

AFGL-TR-85-0032


F/G 8/14




NL







MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS 1963-A







































































AFGL MAGNETOMETER NETWORK








0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
14 MAY 83 (DAY 83.134) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK

FLUXGATE X COMPONENT

160 NANOTESLAS/MAJOR DIVISION


NEW  
12207  
RPC  
18534  
CDS  
17221  
MCL  
18147  
SUB  
18748  
LOC  
24914



FLUXGATE Y COMPONENT

160 NANOTESLAS/MAJOR DIVISION


NEW  
-66  
RPC  
-69  
CDS  
-44  
MCL  
-145  
SUB  
41  
LOC  
-15




FLUXGATE Z COMPONENT




160 NANOTESLAS/MAJOR DIVISION


NEW  
54428  
RPC  
54541  
CDS  
55259  
MCL  
54451  
SUB  
53314  
LOC  
42956







0000 0200 0400 0600 0800 1000 1200 1400 1600 1800 2000 2200 0000  
17 MAY 23 (DAY 23.137) UNIVERSAL TIME AFGL MAGNETOMETER NETWORK

































































END

12-86

DTIC